



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa07ATEX0085/1**

4 Equipment or Protective System: **XLS Flameproof Limit Switch**

5 Manufacturer: **Kinetrol Limited**

6 Address: **Trading Estate, Farnham, Surrey, GU9 9NU**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa07ATEX0085 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0622**

Project File No. **08/0981**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

A handwritten signature in blue ink, appearing to read "R S Sinclair".

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa

Re-issued 18th July 2011 to replace original



13

Schedule

14

Certificate Number Baseefa07ATEX0085/1

15

Description of the variation to the Equipment or Protective System

Variation 1.1

To permit minor modifications including a 2mm undercut to the cable entries.

This arrangement is intended for use with NPT cable glands or stopping plugs having a thread length not less than the "L4" dimension to ANSI/ASME B1.20.1 e.g. to EN 60079-1: 2007.

16

Report Number

Baseefa Certification Report GB/BAS/ExTR09.0051/00

17

Special Condition for Safe Use

None.

18

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

Drawings and Documents

| Number | Issue | Date | Description |
|-------------|-------|----------|--------------------------|
| 315-004-011 | F | 13.11.08 | XLS Box Base 1 to 4 Port |
| 315-017-001 | C | 24.11.08 | Coupling |

These drawings are common to IECEx BAS 07.0014 and are held on that file.